

ISO 9001:2008 Co.



Rehsiff Scientific®

Manufacture & Importer of
Laboratory Fine Chemicals, Diagnostic Kit & Lab wares

ETHYLENE GLYCOL MONO ETHYL ETHER FOR SYNTHESIS

PRODUCT CODE	R08773
SYNONYMS	(Cellosolve, Ethylene glycol monoethyl ether, 2-Ethoxy ethanol)
C.I. NO.	N/A
CASR NO.	110-80-5
ATOMIC OR MOLECULAR FORMULA	C ₄ H ₁₀ O ₂
ATOMIC OR MOLECULAR WEIGHT	90.12
PROPERTIES	---
PARAMETER	LIMIT
Description	A clear liquid, not more than 20 Hazen units in colour.
Solubility	Miscible with water, alcohol forming clear and colourless solution.
Minimum assay (By GC)	98.0%
Wt. per ml at 20°C	0.928 - 0.930 g
Boiling Range	133 - 136°C
MAXIMUM LIMIT OF IMPURITY	
Non volatile matter	0.005%
Note(s) : Assay (if applicable) method mentioned.	
DANGER Hazard statements: May cause drowsiness and dizziness. Highly flammable liquid and vapour. Fatal if inhaled. Toxic in contact with skin. Toxic if swallowed. Causes mild skin irritation. Causes eye irritation. Causes damage to organs through prolonged or repeated exposure. PRECAUTIONARY STATEMENTS : Prevention: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wear respiratory protection. Ground/bond container and receiving equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/clothing. Use only outdoors or in a well ventilated area. Wear protective gloves and eye/face protection. Keep container tightly closed. Keep away from heat/sparks/open flame - No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Response: Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: Gently wash with plenty of soap and water. If eye irritation persists, get medical advice/attention. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If skin irritation occurs, seek medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of fire, use alcohol-type foam for extinction. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Get medical advice/attention if you feel unwell. If on skin or hair: remove/take off immediately all contaminated clothing. Rinse with water/shower. Specific treatment: refer to Label or MSDS. Remove/Take off immediately all contaminated clothing. Wash/Decontaminate removed clothing before reuse. Call a POISON CENTER or doctor/physician if you feel unwell.	IMDG Code : 3/III UN No. 1171 IATA 3
Disposal: Allow to evaporate in safe open area (applicable for small quantities). The chemical should be burnt in a chemical incinerator equipped with burner and scrubber. If the volumes are larger than 500ml and no incinerator and site of evaporation is not available then transfer the waste chemical to waste solvent drum for collection by specialist disposal company.	

: Regd Office, 201, MM Nagar, Ahmedabad (Gujarat)

Email: rehsiffscientific@gmail.com, www.rehsiffscientific.com



ISO 9001:2008 Co.



Rehsiff Scientific®

Manufacture & Importer of
Laboratory Fine Chemicals, Diagnostic Kit & Lab wares

: Regd Office, 201,MM Nagar, Ahmedabad (Gujarat)

Email: rehsiffscientific@gmail.com, www.rehsiffscientific.com

