

Rehsiff Scientific®

Manufacture & Importer of Laboratory Fine Chemicals, Diagnostic Kit & Lab wares

DICHLOROMETHANE AR		
PRODUCT CODE	R08208	
SYNONYMS	Methylene chloride	
C.I. NO.	N/A	
CASR NO.	75- 09- 2	
ATOMIC OR MOLECULARFORMULA	CH ₂ Cl ₂	
ATOMIC OR MOLECULARWEIGHT	84.93	
PROPERTIES	Nonflammable &nonexplosive in air. Toxic, on exposure to light/air tends to acquire yellow colour.	
PARAMETER	LIMIT	
Description	A clear liquid colour not more than 10 Hazen units.	
Solubility	Miscible with absolute industrial methylated spirit (methanol) forming aclear &colourless solution.	
Minimum assay (By GC)	99.5%	
Wt per ml at 20°C	1.323 - 1.325 g	
Refractive Index (n)	1.424 - 1.425	
Boiling Range (38-41°C)	95.0%	
MAXIMUM LIMIT OF IMPURITIES		
Water	0.02%	
Acidity (HCI)	0.001%	
Non volatile matter	0.001%	
Free chlorine (CI)	0.0001%	
Formaldehyde (HCHO)	0.0001%	
Copper (Cu)	0.0001%	
ron (Fe)	0.0001%	
Lead (Pb)	0.0001%	
Benzene content (C ₆ H ₆) (By GCHS) Note(s) :Assay (if applicable) method me	2 ppm w/v	
DANGER		IMDG Code : 6.1 /III
HAZARD STATEMENTS: May cause respiratory irritation. Harmful if swallowed. Causes skin irritation. Causes		UN No. 1593
eye irritation. Suspected of causing cancer. Ma	ay damage fertility.	IATA : 6.1
PRECAUTIONARY STATEMENTS	anutions have been used and understand the second	
• •	cautions have been read and understood. Use personal bughly after handling. Obtain special instructions before use. Do	
not eat, drink or smoke when using this produ		
	ater for several minutes. Remove contact lenses, if present and	
	ncerned: Get medical attention advice. If eye irritation persists,	
	occurs, seek medical advice/attention. Remove/Take off	
mmediately all contaminated clothing Specific plenty of soap and water. Wash/Decontamina	c treatment: refer to Label or MSDS. IF ON SKIN: Gently wash with te removed clothing before reuse.	

: Regd Office, 201,MM Nagar, Ahmedabad (Gujarat)

Email: rehsiffscientific@gmail.com, www.rehsiffscientific.com



ISO 9001:2008 Co. JAS-ANZ JAS-ANZ

Rehsiff Scientific®

Manufacture & Importer of Laboratory Fine Chemicals, Diagnostic Kit & Lab wares

Disposal: Allow to evaporate in safe open area (applicable for small quantities). Follow the instructions as per code no. 7, but transfer the waste to drum specifically designated for halogenated hydrocarbon solvents.

Hazard Pictogram(s):

: Regd Office, 201,MM Nagar, Ahmedabad (Gujarat)

Email: rehsiffscientific@gmail.com, www.rehsiffscientific.com

