

## Rehsiff Scientific®

Manufacture & Importer of Laboratory Fine Chemicals, Diagnostic Kit & Lab wares

DICHLOROMETHYL VINYL SILANE FOR SYNTHESIS		
PRODUCT CODE	R09206	
SYNONYMS	Methylvinyl dichlorosilane	
C.I. NO.	-	Cl
CASR NO.	(124-70-9)	⊔ C-¢;—
ATOMIC OR MOLECULAR FORMULA	$C_3H_6Cl_2Si$	H <sub>3</sub> C-Si- Cl CH <sub>2</sub>
AVERAGE MOLECULAR WEIGHT	141.07	CI CH <sub>2</sub>
PROPERTIES		
PARAMETER	LIMIT	
Description	Colourless to light brown liquid.	
Minimum assay	97.0%	
Refractive index(n)	1.427-1.433	
Boiling range	91-92 <sup>0</sup> C	
Note(s): Assay—(if applicable) method	mentioned.	
DANGER		IMDG Code :UN No.
HAZARD STATEMENTS: Flammable liquid and vapour. Combustible Liquid. Toxic if inhaled. Harmful if swallowed. May		:
be corrosive to metals. Causes severe skin burns and eye damage.		IATA :
PRECAUTIONARY STATEMENTS :		
	surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Wash	
,	, drink or smoke when using this product. Do not breathe dust or mist. Us	e
	g/equipment. Wash thoroughly after handling. Wear protective	
, , ,	e only outdoors or in a well ventilated area. Avoid breathing	
dust/fume/gas/mist/vapours/spray.	physician if you feel unwell. IF INHALED: Remove to fresh air and keep at	
I -	Keep container tightly closed. Immediately call a POISON CENTER or	

In case of fire, use alcohol-type foam for extinction. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF IN EYES:Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of fire, use dry agent for extinction. Specific treatment: refer to Label or MSDS. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Disposal: Add in small quantities to large, stirred excess of water, keeping the final concentration less than 2%.

doctor/physician. If on skin or hair: remove/take off immediately all contaminated clothing. Rinse with water/shower.

**Disposal:** Add in small quantities to large, stirred excess of water, keeping the final concentration less than 2%. Neutralize with 5% sodium hydroxide soln. and run to waste with large quantities of running water.

Hazard Pictogram(s) :



replace Date 1 April 2023

: Regd Office, 201,MM Nagar, Ahmedabad (Gujarat)

Email: rehsiffscientific@gmail.com, www.rehsiffscientific.com

