

## Rehsiff Scientific®

Manufacture & Importer of Laboratory Fine Chemicals, Diagnostic Kit & Lab wares

DIETHYL ETHER FOR HPLC		
PRODUCT CODE	R01176	
SYNONYMS	Solvent ether, Ethyl ether	
C.I. NO.	N/A	
CASR NO.	60-29-7	
ATOMIC OR MOLECULAR FORMULA	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> O	
ATOMIC OR MOLECULAR WEIGHT	74.12	
PROPERTIES	Caution: Although, this material is not anhydrous, Diethyl ether tends to form explosive peroxides, especially when anhydrous. It should not be allowed to evaporate to dryness unless the absence of peroxides has been confirmed.  Hydroscopic with aromatic odor Storage Temp.	O CH <sub>3</sub>
PARAMETER	LIMIT	
Description Minimum assay(By GC) Wt. per ml at 20°C	A clear colourless liquid with a characteristic odour having colour r 99.80%	not more than 10 Hazen units.
20	0.713-0.715 g	
Refractive index $n_{D}^{20}$	1.351-1.353	
Boiling range (34-35 <sup>0</sup> C)	95.0%	
MAXIMUM LIMIT OF IMPURITIES		
Water —	0.05%	
Residue on evaporation (excluding stabiliser) Peroxide ( $H_2O_2$ )	0.001% 0.00003%	
Maximum UV absorption in	0.0000376	
1 cm cell at :-		
219 nm	1.0	
236 nm	0.30	
252 nm	0.10	
270 nm	0.05	
300 nm onwards	0.01	
Stabiliser BHT	Abt 10 ppm	
Note(s) :Assay (if applicable) method ment	ioned.	
DANGER HAZARD STATEMENTS: May cause respiratory irritation. Highly flammable liquid and vapour Harmful if swallowed. Causes skin irritation. Causes eye irritation. May cause allergic skin reaction. Harmful to aquatic life. PRECAUTIONARY STATEMENTS: Prevention: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Use only non-sparking tools. Ground/bond container and receiving equipment. Wash thoroughly after handling. Contaminated clothing should not be allowed out of the workplace.		IMDG Code : 3.1/I UN No. 1155 IATA
Wear protective gloves and eye/faceprotection. I againststatic discharge. Keep away from heat/spa Response: IF SWALLOWED: Rinse mouth. Do NO minutes. Remove contact lenses, if present and e	ray. Use explosion-proofelectrical/ventilating/lighting/equipment. Keep container tightly closed. Take precautionary measures arks/open flame - No smoking. T induce vomiting. IF IN EYES: Rinse cautiously with water for several easy to do. Continue rinsing. Wash contaminated clothing before eal advice/attention. If eye irritation persists, get medical	

## : Regd Office, 201,MM Nagar, Ahmedabad (Gujarat)

advice/attention. If skin irritation occurs, seek medical advice/attention. IF ON SKIN: Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Specific treatment: refer to Label or MSDS.

Email: rehsiffscientific@gmail.com, www.rehsiffscientific.com



## ISO 9001:2008 Co.



## Rehsiff Scientific®

Manufacture & Importer of

Laboratory Fine Chemicals, Diagnostic Kit & Lab wares

Wash/Decontaminate removed clothing before reuse. If onskin or hair: remove/take off immediately all contaminated clothing. Rinse with water/shower. In case of fire, use foam for extinction.

Disposal: Allow to evaporate in safe open area (applicable for small quantities). The chemical should be burnt in a

chemical incinerator equipped with burner and scrubber. If the volumes are larger than 500ml and no incinerator and site of evaporation is not available then transfer the waste chemical to waste solvent drum for collection by specialist disposal company. After testing for peroxide the product should be given to specialized disposal company

Hazard Pictogram(s):-





Email: rehsiffscientific@gmail.com, www.rehsiffscientific.com

