

## Rehsiff Scientific®

Manufacture & Importer of Laboratory Fine Chemicals, Diagnostic Kit & Lab wares

**ACID ALCOHOL** R05995 PRODUCT CODE SYNONYMS C.I. NO. CASR NO. ATOMIC OR MOLECULAR FORMULA ATOMIC OR MOLECULAR WEIGHT PROPERTIES **PARAMETER** Description Clear and colourless liquid. Solubility Miscible with water Suitability Passes test Note(s):Assay (if applicable) method mentioned. DANGER IMDG Code: 3/II Note(s): Assay (if applicable) method mentioned. UN No. 1170 HAZARD STATEMENTS: Flammable liquid and vapour. Harmful in contact with skin. Harmful if inhaled. May be IATA 3 harmful if swallowed. May be corrosive to metals. Causes severe skin burns and eye damage. . Causes serious eye damage. Harmful to aquatic life. PRECAUTIONARY STATEMENTS: Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Keep only in original container. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Response :IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Disposal: Add in small quantities to large, stirred excess of water, keeping the final concentration less than 2%. Neutralize with 5% sodium hydroxide soln. and run to waste with large quantities of running water

Hazard Pictogram(s):



Replace Date 1 April 2023

: Regd Office, 201,MM Nagar, Ahmedabad (Gujarat)

Email: rehsiffscientific@gmail.com, www.rehsiffscientific.com

