

## Rehsiff Scientific®

Manufacture & Importer of Laboratory Fine Chemicals, Diagnostic Kit & Lab wares

## CHLORO METHYL METHYL ETHER

PRODUCT CODE R09147

SYNONYMS (MOM chloride, methoxy methyl chloride,

methyl chloromethyl ether)

C.I. NO. --

CASR NO. (107-30-2) ATOMIC OR MOLECULAR FORMULA  $C_2H_5CIO$ 

ATOMIC OR MOLECULAR WEIGHT 80.51 C<sub>2</sub>H<sub>5</sub>ClO

PROPERTIES

PARAMETER LIMIT

Description Colorless to light yellow to light orange clear liquid.

Minimum assay (GC) 92.5% Wt. per ml (at  $25^{\circ}$ c) 1.05-1.07 g Refractive index (n)<sup>20</sup> About 1.396 Boiling range 55-57°C

Note(s): Assay (if applicable) method mentioned.

DANGER

HAZARD STATEMENTS : May cause respiratory irritation. May cause drowsiness or dizziness. Highly flammable liquid and UN No. 1239

vapour. May be harmful if swallowed. May be fatal if swallowed and enters airways. Causes mild skin irritation. Causes IATA serious eye irritation. Harmful to aquatic life.

PRECAUTIONARY STATEMENTS: Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use

explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/Takeoff immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/physician if you feel unwell. Do NOT induce vomiting. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical

Disposal: Allow to evaporate in safe open area (applicable for small quantities). The chemical should be burnt in a chemical incinerator equipped with burner and scrubber. If the volumes are larger than 500ml and no incinerator and site of evaporation is not available then transfer the waste chemical to waste solvent drum for collection by specialist disposal company.

Hazard Pictogram(s):

advice/attention.







Replace Date 1 April 2023



: 6.1

Email: rehsiffscientific@gmail.com, www.rehsiffscientific.com