

JAS-ANZ M493011211 M493011211

Rehsiff Scientific[®]

Manufacture & Importer of

Laboratory Fine Chemicals, Diagnostic Kit & Lab wares

2-DIETHYL AMINO ETHANOL		
PRODUCT CODE	R09216	
SYNONYMS	(N,N-Diethyl Amino Ethanolamine)	СЦ
C.I. NO.		
CASR NO.	100-37-8	
ATOMIC OR MOLECULAR FORMULA	C ₆ H ₁₅ NO H	0
ATOMIC OR MOLECULAR WEIGHT	117.19	
PROPERTIES	May be darken on storage.	
PARAMETER	LIMIT	
Description	Clear, colourless to pale yellow liquid.	
Solubility	Miscible with water and alcohol.	
Minimum assay (GC)	99.0%	
Wt. per ml (20°C)	0.883-0.885 g	
Refractive index n_{D}^{20}	1.440-1.442	
Boiling Range	160-163°C	
MAXIMUM LIMIT OF IMPURITY		
Water (KF)	0.5%	
Note(s):Assay (if applicable) method mentioned.		
DANGER — IMDG Code : 8 (3)/II HAZARD STATEMENTS : Flammable liquid and vapour. Combustible Liquid. Toxic if inhaled. Harmful if swallowed. UN No. 2686 May be corrosive to metals. Causes severe skin burns and eye damage. IATA : 8 (3) PRECAUTIONARY STATEMENTS : Prevention : Keep away from flames and hot surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust or mist. Use explosion-proof electrical/ventilating/lighting/equipment. Wash thoroughly after handling. Wear protective gloves/clothing and eye/face protection. Use only outdoors or in a well ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Response : Call a POISON CENTER or doctor/physician if you feel unwell. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Keep container tightly closed. Immediately call a POISON CENTER or doctor/physician. If on skin or hair: remove/take off immediately all contaminated clothing. Rinse with water/shower. In case of fire, use alcohol-type foam for extinction. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF IN EYES:Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of fire, use dry agent for extinction. Specific treatment: refer to Label or MSDS. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Disposal : Add in small quantities to large, stirred excess of water, keeping the final concentration less than 2%. Neutralize with S% sodium hydroxide soln. and run to waste with large quantities of running water.		
Hazard Pictogram(s) : GHS02 GHS05 GHS06		

Replace Date 1 April 2023

: Regd Office, 201, MM Nagar, Ahmedabad (Gujarat)

Email: rehsiffscientific@gmail.com, www.rehsiffscientific.com

