

Rehsiff Scientific[®]

Manufacture & Importer of

Laboratory Fine Chemicals, Diagnostic Kit & Lab wares

1,3-DIOXOLANE FOR SYNTHESIS		
PRODUCT CODE	R09298	
SYNONYMS C.I. NO.	(Ethylene Glycol Methylene Ether,Ethylene glycol formal) 	
CASR NO.	(646-06-0)	$\dot{\mathbf{O}}$
ATOMIC OR MOLECULAR FORMULA	C ₃ H ₆ O ₂	
ATOMIC OR MOLECULAR WEIGHT	74.08	
PROPERTIES		
PARAMETER	LIMIT	
Description	Clear and colourless water white liquid.	
Solubility	Soluble in water.	
Minimum Assay (By GC)	99.0%	
Wt. per ml (at 20°C)	1.064-1.066 g	
Refractive Index (n) ²⁰	About 1.401	
MAXIMUM LIMIT OF IMPURITIES		
Peroxide	0.005%	
Water	0.5%	
Note(s):Assay (if applicable) method mention	ned.	
vapour. May be harmful if swallowed. May be fa serious eye irritation. Harmful to aquatic life. PRECAUTIONARY STATEMENTS : Prevention : Keep away from heat/sparks/oper Ground/bond container and receiving equipmer only non-sparking tools. Take precautio dust/fume/gas/mist/vapours/spray. Wash thoro Avoid release to the environment. Wear protecti Response : IF SWALLOWED: Immediately ca Remove/Take off immediately all contaminated air and keep at rest in a position comfortable for Remove contact lenses, if present and easy to c feel unwell. Do NOT induce vomiting. If skin irri Get medical advice/attention. Disposal : Allow to evaporate in safe open area chemical incinerator equipped with burner and s	ritation. May cause drowsiness or dizziness. Highly fla tal if swallowed and enters airways. Causes mild ski in flames/hot surfaces No smoking. Keep containe t. Use explosion-proof electrical/ventilating/lighting nary measures against static discharge. Av ughly after handling. Use only outdoors or in a well- ve gloves/protective clothing/eye protection/face pr all a POISON CENTER or doctor/physician. IF O clothing. Rinse skin with water/shower. IF INHALEE breathing. IF IN EYES: Rinse cautiously with water fo lo. Continue rinsing. Call a POISON CENTER or doct tation occurs: Get medical advice/ attention. If eye (applicable for small quantities). The chemical shoul crubber. If the volumes are larger than 500ml and no the waste chemical to waste solvent drum for collect	in irritation. Causes er tightly closed. equipment. Use void breathing -ventilated area. rotection. DN SKIN (or hair): D: Remove to fresh or several minutes. ror/physician if you e irritation persists: Id be burnt in a D incinerator and
Hazard Pictogram(s)	GHS05 GHS07	

Replace Date 1 April 2023

: Regd Office, 201, MM Nagar, Ahmedabad (Gujarat)

Gertifieg

Email: rehsiffscientific@gmail.com, www.rehsiffscientific.com