

Rehsiff Scientific®

Manufacture & Importer of Laboratory Fine Chemicals, Diagnostic Kit & Lab wares

FORMIC ACID FOR SYNTHESIS		
PRODUCT CODE	R01212	
SYNONYMS	N/A	
C.I. NO.	N/A	
CASR NO.	64-18-6	
ATOMIC OR MOLECULAR FORMULA	CH₂O₂	
ATOMIC OR MOLECULAR WEIGHT	46.03 H	OH
PROPERTIES	Strong reducing agent, Combustible	011
PARAMETER	LIMIT	
Description	A clear liquid not more than 10 Hazen units in colour, with a pungent odour.	
Solubility	Miscible with water forming clear & colourless solution.	
Assay (By Acidimetric)	About 85.0%	
Wt.per ml at 20°C	1.193 - 1.198 g	
Note(s): 1] Assay (if applicable) metho	d mentioned.	
DANGER		IMDG Code : 3 (8)/II
HAZARD STATEMENTS : Flammable liquid and vapour. Combustible Liquid. Toxic if inhaled. Harmful ifswallow		UN No. 1779
May be corrosive to metals. Causes severe skin burns and eye damage.		IATA : 3 (8)

PRECAUTIONARY STATEMENTS:

Prevention: Keep away from flames and hot surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust or mist. Use explosion-proof electrical/ventilating/lighting/equipment. Wash thoroughly after handling. Wear protective gloves/clothing and eye/face protection. Use only outdoors or in a well ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray.

Response: Call a POISON CENTER or doctor/physician if you feel unwell. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Keep container tightly closed. Immediately call a POISON CENTER or doctor/physician. If on skin or hair: remove/take off immediately all contaminated clothing. Rinse with water/shower. In case of fire, use alcohol-type foam for extinction. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF IN EYES:Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of fire, use dry agent for extinction. Specific treatment: refer to Label or MSDS. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Disposal : Add in small quantities to large, stirred excess of water, keeping the final concentration less than 2%. Neutralize with 5% sodium hydroxide soln. andrun to waste with large quantities of running water.

Hazard Pictogram(s):







Replace Date 1 April 2023



Email: rehsiffscientific@gmail.com, www.rehsiffscientific.com