

Rehsiff Scientific®

Manufacture & Importer of Laboratory Fine Chemicals, Diagnostic Kit & Lab wares

DODUCTOODS	D00424	
RODUCTCODE	R08434	
YNONYMS	4-Methylpyridinen-oxide,4-picolinen-oxide	
.I.NO.	 (4000 CT 4)	
ASR NO.	(1003-67-4)	ÇH₃
TOMICORMOLECULARFORMULA	C ₆ H ₇ NO	
TOMICORMOLECULARWEIGHT	109.13	
ROPERTIES		Ņ
		*
ARAMETER	LIMIT	<u> </u>
escription	Whiteto paleyelloworbrown crystals/powder/chunks.	
1inimumassay(GC)	98.0%	
Meltingrange	182-185 ⁰ C	
MAXIMUMLIMITOFIMPURITY	102 103 0	
osson drying	1.0%	
ote(s):Assay(ifapplicable)methodmentioned.		
VARNING		IMDGCode
Hazardstatements: Maycauserespiratory irritation. Causesskinirritation. Causesserious eyeirritation.		: UN No.
recautionarystatements	harana karana Marahaharan ah karana karana da arah	:
0	/vapours/spray. Wash thoroughly after handling. Use only egloves/protectiveclothing/eyeprotection/faceprotection. Respons	IATA:
•	a position comfortable for breathing. IF IN EYES: Rinse cautiously w	1
•	, if present and easy to do. Continue rinsing. Call a POISON CENTER	1
octor/physician if you feel unwell. If eye irritation	n persists: Get medical	
	${\sf terandallowittoruntowaste, diluting with large quantities of water. The {\sf terandallowittoruntowaste, diluting with large quantities of {\sf water}. The {\sf terandallowittoruntowaste, diluting with large quantities of {\sf water}. The {\sf terandallowittoruntowaste, diluting with large quantities of {\sf water}. The {\sf terandallowittoruntowaste, diluting with large quantities of {\sf water}. The {\sf terandallowittoruntowaste, diluting with large quantities of {\sf water}. The {\sf terandallowittoruntowaste, diluting with large quantities of {\sf water}. The {\sf terandallowittoruntowaste, diluting with large quantities of {\sf water}. The {\sf terandallowittoruntowaste, diluting with large quantities of {\sf water}. The {\sf terandallowittoruntowaste, diluting with large quantities of {\sf water}. The {\sf terandallowittoruntowaste, diluting with large quantities of {\sf water}. The {\sf terandallowittoruntowaste, diluting with large quantities of {\sf terandallowittoruntowast$	
hould be dissolved in water and transferred to he	eavy metal waste drums for collection by specialist disposal compa	ny.
azardPictogram(s):		

Replace Date 1 April 2023



Email: rehsiffscientific@gmail.com, www.rehsiffscientific.com